Protocol	Description	Size	Trial Collaborators	Start Date*	Sites	Stage
HVTN 096/EV04	A phase 1 double blind placebo-controlled clinical trial to evaluate the safety and to compare the priming ability of NYVAC alone versus NYVAC + AIDSVAX B/E, and DNA alone versus DNA + AIDSVAX B/E when followed by NYVAC + AIDSVAX B/E boosts in healthy, HIV-1 uninfected adult participants	96	HVTN BMGF IPPOX EuroVacc GSID USMHRP DAIDS	Aug 2012	Lausanne	Annual health/AESI contact(s)
HVTN 106	A phase 1 randomized, double-blind, placebo controlled clinical trial to evaluate the safety and immunogenicity of an HIV-1 vaccine regimen of DNA prime with 3 different HIV-1 envelope inserts (Nat-B env, CON-S env, and Mosaic env) with MVA-CMDR boost in healthy, HIV-1–uninfected adults	105	HVTN CHAVI-ID DAIDS EuroVacc LANL USMHRP	Jan 2015	Atlanta - Hope Clinic; Birmingham; Boston - Brigham; Boston - Fenway; Lausanne; San Francisco; Seattle	Annual health/AESI contact(s)
HVTN 107	A Phase 1/2a partially double-blinded, randomized clinical trial to characterize the safety and immunogenicity of clade C ALVAC-HIV (vCP2438) and Bivalent Subtype C gp120 alone, with MF59® adjuvant, and with alum adjuvant in healthy, HIV-uninfected adult participants	132	HVTN DAIDS GSK Sanofi	Jun 2017	Cape Town - Emavundleni; Durban - eThekwini; Harare - Seke South; Maputo; Soweto - Bara; Tembisa - Clinic 3	Follow-up (closed to accrual)
HVTN 108	A phase 1/2a clinical trial to evaluate the safety and immunogenicity of HIV clade C DNA, and of MF59®- or AS01B-adjuvanted clade C Env protein, in healthy, HIV-uninfected adult participants	334	HVTN DAIDS BMGF GSK IPPOX	Dec 2016	Birmingham; Boston - Brigham; Boston - Fenway; Cape Town - Emavundleni; Durban - Verulam; Durban - eThekwini; Klerksdorp; Ladysmith; Nashville; New York - NYBC; New York - Physicians & Surgeons; Rochester; Seattle; Soshanguve; Soweto - Bara; Soweto - Kliptown; Tembisa - Clinic 3	Follow-up (closed to accrual)
HVTN 112	A phase 1 trial to evaluate the safety, tolerability, and immunogenicity of a prime-boost regimen of HIV-1 nef/tat/vif, env pDNA vaccine delivered intramuscularly with electroporation and HIV-1 rVSV envC vaccine in healthy HIV-uninfected adult participants	15	HVTN DAIDS Profectus Ichor	Apr 2016	Cleveland; Philadelphia	Follow-up (closed to accrual)

^{*}First participant enrolled Printed 12/20/2019

Dustand	Description	C:	Trial	Ctaut Datat	0:4	Ctorro
Protocol	Description A phase I clinical trial to evaluate the	Size	Collaborators	Start Date*	Atlanta - Hope Clinic; Birmingham;	Stage
	immunogenicity of AIDSVAX® B/E bivalent		LIVITAL		Boston - Brigham; Iquitos; Lima -	
	gp120 vaccine and MVA/HIV62B in healthy, HIV-		HVTN DAIDS		Barranco; Nashville; New York -	Annual
	1 uninfected adult participants who previously received MVA/HIV62B in DNA/MVA or		GeoVax		NYBC; New York - Physicians & Surgeons; Rochester; San Francisco;	health/AESI
HVTN 114	MVA/MVA regimens in HVTN 205	100	GSID	Feb 2017	Seattle	contact(s)
			HVTN		Birmingham; Boston - Brigham;	
	A Phase I clinical trial to evaluate the safety and		DAIDS		Nashville; New York - NYBC; New	Follow-up
	immunogenicity of EnvSeq-1 and CH505.M5 Envs adjuvanted with GLA-SE, in healthy, HIV-		CHAVI		York - Physicians & Surgeons; Philadelphia; Rochester; San	(closed to
HVTN 115	uninfected adult participants	132	IDRI	Oct 2017	Francisco; Seattle	accrual)
	A phase 1 clinical trial to evaluate the safety,					
	pharmacokinetics, and anti-viral activity of VRC HIVMAB060 00 AB (VRC01) and VRC					
	HIVMAB080 00 AB (VRC01LS) in the serum		HVTN			Follow-up
	and mucosa of healthy, HIV-uninfected adult		VRC		Cape Town - Groote Schuur;	(closed to
HVTN 116	participants	74	DAIDS	Mar 2017	Cleveland; Philadelphia; Seattle	accrual)
			HVTN			
	A phase 1 clinical trial to evaluate the safety and		DAIDS Profectus			
	immunogenicity of pDNA vaccines expressing		University of			
	HIV M Group p24Gag conserved elements and/or p55Gag, administered with IL-12 pDNA		Washington			Follow-up
	by intramuscular electroporation, in healthy, HIV-		Ichor		Atlanta - Hope Clinic; Cleveland; San	(closed to
HVTN 119	uninfected adult participants	56	NCI	Nov 2017	Francisco	accrual)
					Atlanta - Hope Clinic; Boston - Brigham; Boston - Fenway;	
	A phase 1/2a clinical trial to evaluate the safety		HVTN		Cleveland; Durham; Harare - Seke	
	and immunogenicity of ALVAC-HIV (vCP2438)		DAIDS		South; Lusaka - Matero; Mbeya;	
	and of MF59®- or AS01B-adjuvanted clade C		BMGF		Nashville; New York - Physicians &	Follow-up
HVTN 120	Env protein, in healthy, HIV-uninfected adult participants	320	Sanofi GSK	Feb 2018	Surgeons; Philadelphia; Rochester; San Francisco; Seattle	(closed to accrual)
HVIN 120	Participants	320	GON	Len 5018	San Francisco, Seattle	acciuai)

			Trial			
Protocol	Description A phase 1b open label clinical trial to evaluate HIV-1 neutralization antibody breadth in response to HIV gp120 protein vaccine adjuvanted with aluminum hydroxide in HIV-uninfected adults with quiescent Lupus	Size	Collaborators	Start Date*	Sites	Stage Open to
HVTN 121	Erythematosus	16	GSID		Birmingham; Durham	accrual
HVTN 122	A Phase 1 double-blind, randomized clinical trial clinical trial to evaluate the safety and immunogenicity of MHRP recombinant trimeric gp145 Env in healthy, HIV-1 uninfected adult participants	45	HVTN USMHRP DAIDS	Jan 2018	New York - NYBC; New York - Physicians & Surgeons; Philadelphia	Follow-up (closed to accrual)
HVTN 124	· · · · · · · · · · · · · · · · · · ·	60	HVTN DAIDS U Mass	Apr 2018	Atlanta - Hope Clinic; Birmingham; Boston - Fenway; Cleveland; Philadelphia; Rochester	Enrolling
HVTN 127/HPTN 087	A phase 1 clinical trial to evaluate the safety and drug levels of a human monoclonal antibody, VRC-HIVMAB075-00-AB (VRC07-523LS), administered in multiple doses intravenously, subcutaneously, and intramuscularly in different dosing schedules to healthy, HIV-uninfected adults	100	HVTN HPTN DAIDS VRC	Feb 2018	Atlanta - Ponce de Leon; Birmingham; Boston - Brigham; Boston - Fenway; Chapel Hill; Lausanne; New York - Physicians & Surgeons	Follow-up (closed to accrual)
HVTN 128	A Phase I clinical trial to evaluate the safety, pharmacokinetics, and anti-viral activity of VRC-HIVMB075-00-AB (VRC07-523LS) in the serum and mucosa of healthy, HIV-1 uninfected adult participants	36	HVTN DAIDS VRC	Jan 2019	Boston - Brigham; Seattle	Enrolling
HVTN 702	A pivotal phase 2b/3 multi-site, randomized, double-blind, placebo-controlled clinical trial to evaluate the safety and efficacy of ALVAC-HIV (vCP2438) and Bivalent Subtype C gp120/MF59 in preventing HIV-1 infection in adults in South Africa	5400	HVTN GSK DAIDS Sanofi Pasteur BMGF MRC	Oct 2016	Cape Town - Emavundleni; Cape Town - Khayelitsha; Durban - Isipingo; Durban - Verulam; Durban - eThekwini; Klerksdorp; Ladysmith; Medunsa; Mthatha; Rustenburg; Soshanguve; Soweto - Bara; Soweto - Kliptown; Tembisa - Clinic 3	Enrolling

^{*}First participant enrolled Printed 12/20/2019

Protocol	Description	Size	Trial Collaborators	Start Date*	Sites	Stage
HVTN 703/HPTN 081	A phase 2b study to evaluate the efficacy of VRC01 broadly neutralizing monoclonal antibody in reducing acquisition of HIV-1 infection	1900	HVTN HPTN DAIDS VRC	May 2016	Blantyre; Cape Town - Groote Schuur; Durban - Botha's Hill; Durban - Chatsworth; Durban - eThekwini; Gaborone; Harare - Parirenyatwa; Harare - Seke South; Harare - Spilhaus; Hillbrow; Johannesburg - Ward 21; Kisumu; Klerksdorp; Lilongwe; Mamelodi; Maputo; Mbeya; Rustenburg; Soweto - Bara; Tembisa Clinic 3; Vulindlela	Follow-up
HVTN 704/HPTN 085	A phase 2b study to evaluate the safety and efficacy of VRC01 broadly neutralizing monoclonal antibody in reducing acquisition of HIV-1 infection among men and transgender persons who have sex with men	2700	HVTN HPTN DAIDS VRC	Apr 2016	Atlanta - Hope Clinic; Atlanta - Ponce de Leon; Birmingham; Boston - Brigham; Boston - Fenway; Chapel Hill; Cleveland; Iquitos; Lausanne; Lima - Barranco; Lima - San Marcos; Lima - San Miguel; Lima - Via Libre; Los Angeles - Vine Street; Nashville; New York - Bronx Prevention; New York - Harlem Prevention; New York - Harlem Prevention; New York - NYBC; New York - Physicians & Surgeons; Newark; Philadelphia; Rio de Janeiro; Rochester; San Francisco; Seattle; Washington - DC	Follow-up (closed to accrual)

			Trial			
Protocol	Description	Size	Collaborators	Start Date*	Sites	Stage
					Bloemfontein; Cape Town -	_
					Emavundleni; Cape Town -	
					Khayelitsha; Durban - Chatsworth;	
					Durban - Isipingo; Durban - Tongaat;	
					Durban - Verulam; Durban -	
					eThekwini; Elandsdoorn; Harare -	
					Seke South; Harare - St. Mary's;	
					Klerksdorp; Ladysmith; Lilongwe;	
	A multicenter, randomized, double-blind,				Lusaka - Matero; Lusaka - ZEHRP;	
	placebo-controlled phase 2b efficacy study of a		l		Mamelodi; Maputo; Masiphumelele;	
	heterologous prime/boost vaccine regimen of		HVTN		Medunsa; Mthatha; Ndola;	
	Ad26.Mos4.HIV and aluminum phosphate-		Janssen		Rustenburg; Soshanguve; Soweto -	
HVTN	adjuvanted Clade C gp140 in preventing HIV-1		DAIDS		Bara; Soweto - Kliptown; Tembisa -	
705/HPX 2008	infection in women in sub-Saharan Africa	2600	BMGF	Nov 2017	·	Enrolling